according to 1907/2006/EC, Article 31

**C**R

Revision: 07.09.2018

Printing date 07.09.2018

Version number 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 4CR 0515 2K-Löser
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Thinner, Diluent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

4CR Vertriebsgesellschaft mbH

Oberer Sommerfeldweg 2

D-94469 Deggendorf

Tel.: +49 (0) 40 69 60 99 315 Fax: +49 (0) 40 69 60 99 316 E-Mail: Info@4CR.com

www.4CR.com

• 1.4 Emergency telephone number: +49(0)700 24112112 (CRM)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

cyclohexanone

2-butoxyethyl acetate

· Hazard statements

H225 Highly flammable liquid and vapour.

H312+H332 Harmful in contact with skin or if inhaled.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

4cR

Revision: 07.09.2018

Printing date 07.09.2018

Version number 12

Trade name: 4CR 0515 2K-Löser

(Contd. of page 1)

H315 Causes skin irritation.H318 Causes serious eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

*P261* Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 108-94-1 EINECS: 203-631-1 Reg.nr.: 01-2119453616-35	cyclohexanone  ♠ Flam. Liq. 3, H226; ♠ Eye Dam. 1, H318; ♠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	25-50%		
CAS: 108-65-6 EINECS: 203-603-9 Reg.nr.: 01-2119475791-29	2-methoxy-1-methylethyl acetate  Flam. Liq. 3, H226	25-50%		
CAS: 112-07-2 EINECS: 203-933-3 Reg.nr.: 01-2119475112-47	2-butoxyethyl acetate  Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	≥10-<12.5%		
CAS: 67-64-1 EINECS: 200-662-2 Reg.nr.: 01-2119471330-49	acetone  Flam. Liq. 2, H225;  Eye Irrit. 2, H319; STOT SE 3, H336	2.5-<10%		

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

4cR

Printing date 07.09.2018

Version number 12

Trade name: 4CR 0515 2K-Löser

(Contd. of page 2)

Revision: 07.09.2018

- · After swallowing: Call for a doctor immediately.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.
- · Information for doctor:

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- $\cdot \textit{Further information about storage conditions:} \\$

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- $\cdot$  7.3 *Specific end use(s) No further relevant information available.*

GB ·

Printing date 07.09.2018

Version number 12

Trade name: 4CR 0515 2K-Löser

(Contd. of page 3)

Revision: 07.09.2018

### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 C	ontrol parameters
·Ingre	dients with limit values that require monitoring at the workplace:
108-9	94-1 cyclohexanone
WEL	Short-term value: 82 mg/m³, 20 ppm Long-term value: 41 mg/m³, 10 ppm Sk, BMGV
108-6	55-6 2-methoxy-1-methylethyl acetate
WEL	Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm Sk
112-0	77-2 2-butoxyethyl acetate
WEL	Short-term value: 332 mg/m³, 50 ppm Long-term value: 133 mg/m³, 20 ppm Sk
67-64	1-1 acetone
WEL	Short-term value: $3620 \text{ mg/m}^3$ , $1500 \text{ ppm}$ Long-term value: $1210 \text{ mg/m}^3$ , $500 \text{ ppm}$
· Ingre	dients with biological limit values:
108-9	04-1 cyclohexanone
BMG	V 2 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: cyclohexanol

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

### · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Breakthrough time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing date 07.09.2018 Version number 12

Trade name: 4CR 0515 2K-Löser

(Contd. of page 4)

 $\cdot$  Eye protection:



Tightly sealed goggles

Colour: Acc Odour: Ch Odour threshold: No pH-value: No Change in condition Melting point/freezing point: Un Initial boiling point and boiling range: 56' Flash point: 9°C Flammability (solid, gas): No Ignition temperature: No Auto-ignition temperature: Pro Explosive properties: Pro Explosion limits: Lower: 1.3 Upper: 13 Vapour pressure at 20°C: 23. Density at 20°C: 0.9 Relative density No	wiid ecording to product specification fraracteristic of determined.  or determined.  or applicable.  or determined.  or determined.  or applicable.  or determined.  or determined.  or determined.  or oduct is not selfigniting.  roduct is not explosive. However, formation of explosive a pour mixtures are possible.
Form: Colour: Acc Odour: Odour threshold: No pH-value: No Change in condition Melting point/freezing point: Initial boiling point and boiling range: 56' Flash point: Flammability (solid, gas): No Ignition temperature: No Auto-ignition temperature: Precent values: Explosive properties: Precent values: Lower: Upper: 13 Vapour pressure at 20°C: Relative density No Vapour density No	coording to product specification for aracteristic of determined.  of determined.  of C  C (DIN 53213)  of applicable.  coduct is not selfigniting.  coduct is not explosive. However, formation of explosive appour mixtures are possible.
Colour: Acc Odour: Ch Odour threshold: No pH-value: No Change in condition Melting point/freezing point: Un Initial boiling point and boiling range: 56' Flash point: 9°C Flammability (solid, gas): No Ignition temperature: No Auto-ignition temperature: Pro Explosive properties: Pro Explosion limits: Lower: 1.3 Upper: 13 Vapour pressure at 20°C: 23 Density at 20°C: Relative density No	coording to product specification for aracteristic of determined.  of determined.  of C  C (DIN 53213)  of applicable.  coduct is not selfigniting.  coduct is not explosive. However, formation of explosive appour mixtures are possible.
Odour: Ch Odour threshold: No  PH-value: No Change in condition Melting point/freezing point: Un Initial boiling point and boiling range: 56' Flash point: 9°C Flammability (solid, gas): No Ignition temperature: 280 Decomposition temperature: No Auto-ignition temperature: Pro Explosive properties: Pro Vap Explosion limits: Lower: 1.3 Upper: 13 Vapour pressure at 20°C: 23 Density at 20°C: 0.9 Relative density No	haracteristic of determined. of determined. of determined. of C  C (DIN 53213) of applicable. of determined. of determined. of determined. of determined. of determined. of determined. of duct is not selfigniting. of duct is not explosive. However, formation of explosive appour mixtures are possible.
PH-value:  Change in condition  Melting point/freezing point:  Initial boiling point and boiling range: 56'  Flash point:  Flammability (solid, gas):  No  Ignition temperature:  Decomposition temperature:  No  Auto-ignition temperature:  Provap  Explosive properties:  Provap  Explosion limits:  Lower:  Upper:  1.3  Vapour pressure at 20°C:  Relative density  No  Vapour density  No	of determined.  Indetermined.  Indetermined.  Indetermined.  Indetermined.  Indetermined.  Indetermined.  Indetermined.  Indetermined.  Indetermined.  Indetermined is not selfigniting.  Induct is not explosive. However, formation of explosive and pour mixtures are possible.
Change in condition Melting point/freezing point: Initial boiling point and boiling range: 56° Flash point:  Flammability (solid, gas): No Ignition temperature: No Auto-ignition temperature: Provap  Explosive properties: Provap  Explosion limits: Lower: Upper: 13 Vapour pressure at 20°C: Relative density No Vapour density No	ndetermined.  C (DIN 53213)  of applicable.  C (DIN 51794)  of determined.  coduct is not selfigniting.  coduct is not explosive. However, formation of explosive of pour mixtures are possible.
Melting point/freezing point: Un Initial boiling point and boiling range: 56  Flash point: 9°C  Flammability (solid, gas): No  Ignition temperature: 286  Decomposition temperature: No  Auto-ignition temperature: Pro Explosive properties: Pro Vap  Explosion limits: Lower: 1.3 Upper: 13  Vapour pressure at 20°C: 23.  Density at 20°C: 0.9  Relative density No	C (DIN 53213)  ot applicable.  O°C (DIN 51794)  ot determined.  coduct is not selfigniting.  coduct is not explosive. However, formation of explosive of pour mixtures are possible.
Flammability (solid, gas): No Ignition temperature: Decomposition temperature: No Auto-ignition temperature: Pro Explosive properties: Pro vap Explosion limits: Lower: Upper: 13 Vapour pressure at 20°C: 23. Density at 20°C: Relative density No	ot applicable.  30°C (DIN 51794)  ot determined.  roduct is not selfigniting.  roduct is not explosive. However, formation of explosive appour mixtures are possible.
Ignition temperature:  Decomposition temperature:  No  Auto-ignition temperature:  Explosive properties:  Provap  Explosion limits:  Lower:  Upper:  13  Vapour pressure at 20°C:  Density at 20°C:  Relative density  No  Vapour density  No	20°C (DIN 51794)  Tot determined.  Toduct is not selfigniting.  Toduct is not explosive. However, formation of explosive appour mixtures are possible.
Decomposition temperature:  No Auto-ignition temperature:  Explosive properties:  Provap  Explosion limits:  Lower:  Upper:  1.3  Vapour pressure at 20°C:  Pensity at 20°C:  Relative density  No Vapour density  No	ot determined.  coduct is not selfigniting.  coduct is not explosive. However, formation of explosive of pour mixtures are possible.  3 Vol %
Auto-ignition temperature:  Explosive properties:  Provap  Explosion limits:  Lower:  Upper:  13  Vapour pressure at 20°C:  Density at 20°C:  Relative density  No  Vapour density  No	roduct is not selfigniting.  roduct is not explosive. However, formation of explosive of pour mixtures are possible.  3 Vol %
Explosive properties:  Provage  Explosion limits:  Lower:  Upper:  13  Vapour pressure at 20°C:  Density at 20°C:  Relative density  No  Vapour density  No	roduct is not explosive. However, formation of explosive of pour mixtures are possible.  3 Vol %
Explosion limits: Lower: 1.3 Upper: 13 Vapour pressure at 20°C: 23 Density at 20°C: 0.9 Relative density No	pour mixtures are possible. 3 Vol %
Lower: 1.3 Upper: 13 Vapour pressure at 20°C: 23. Density at 20°C: 0.9 Relative density No Vapour density No	
Upper: 13 Vapour pressure at 20°C: 23. Density at 20°C: 0.9 Relative density No Vapour density No	
Vapour pressure at 20°C: 23.  Density at 20°C: 0.9  Relative density No  Vapour density No	? Vol %
Density at 20°C: 0.9 Relative density No Vapour density No	
Relative density No Vapour density No	3 hPa
Vapour density No	935 g/cm³ (DIN 53217)
T	ot determined.
Evaporation rate No.	ot determined.
Evaporation rate 110	ot determined.
Solubility in / Miscibility with	
	ot miscible or difficult to mix.
2 un mario de ajjacetam na detamon, i, and i de a	ot determined.
Viscosity:	
	ot determined.
	s (DIN 53211/4)
Solvent content: VOC (EC) 99.	0.84 %
Solids content (weight-%): 0.2 9.2 Other information No	2 %

according to 1907/2006/EC, Article 31

4cR

Revision: 07.09.2018

Printing date 07.09.2018

Version number 12

Trade name: 4CR 0515 2K-Löser

(Contd. of page 5)

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful in contact with skin or if inhaled.

· LD/LC50 values relevant for classification:

#### 108-94-1 cyclohexanone

Oral LD50 1,620 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

CD



Revision: 07.09.2018

Printing date 07.09.2018

Version number 12

Trade name: 4CR 0515 2K-Löser

(Contd. of page 6)

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

14 06 03\* other solvents and solvent mixtures

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informa	шон
· 14.1 UN-Number · ADR, IMDG, IATA	UN1263
· 14.2 UN proper shipping name · ADR · IMDG, IATA	UNI 263 PAINT RELATED MATERIAL PAINT RELATED MATERIAL
· 14.3 Transport hazard class(es)	
· ADR	
· Class	3 (F1) Flammable liquids.
· Label	3
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group	"
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler):	33
· EMS Number:	F-E, <u>S-E</u> B
· Stowage Category	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
· <i>ADR</i>	
· Transport category	2
· Tunnel restriction code	D/E

(Contd. on page 8)

according to 1907/2006/EC, Article 31

**CR** 

Revision: 07.09.2018

Printing date 07.09.2018

Version number 12

Trade name: 4CR 0515 2K-Löser

(Contd. of page 7)

· IMDG · Limited quantities (LQ)	5L
· UN "Model Regulation":	UN 1263 PAINT RELATED MATERIAL, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:

Class	Share in %
NK	50-100

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

### · Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

#### · Abbreviations and acronyms:

 $RiD: \ R\`e glement\ international\ concernant\ le\ transport\ des\ marchandises\ dangereuses\ par\ chemin\ de\ fer\ (Regulations\ Concerning\ the\ International\ Transport\ of\ Dangerous\ Goods\ by\ Rail)$ 

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

(Contd. on page 9)



Printing date 07.09.2018

Trade name: 4CR 0515 2K-Löser

Version number 12

(Contd. of page 8)

Revision: 07.09.2018

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.