according to 1907/2006/EC, Article 31



Revision: 07.09.2018

Printing date 07.09.2018

Version number 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 4CR 5300 Hohlraumkonservierung Spray
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Color spray
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

4CR Vertriebsgesellschaft mbH

Oberer Sommerfeldweg 2

D-94469 Deggendorf

Tel.: +49 (0) 40 69 60 99 315 Fax: +49 (0) 40 69 60 99 316 E-Mail: Info@4CR.com

www.4CR.com

• 1.4 Emergency telephone number: +49(0)700 24112112 (CRM)

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



| Skin Irrit. 2 | H315 | Causes | skin | irritation. |
|---------------|------|--------|------|-------------|
|               |      |        |      |             |

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

· Signal word Danger

· Hazard-determining components of labelling:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

## **Safety data sheet** according to 1907/2006/EC, Article 31



Printing date 07.09.2018

Version number 12

#### Trade name: 4CR 5300 Hohlraumkonservierung Spray

(Contd. of page 1)

Revision: 07.09.2018

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Additional information:

EUH208 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction. Buildup of explosive mixtures possible without sufficient ventilation.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

| Dangerous components: EC number: 921-024-6        | Hudro carbons C6 C7 in alliance is alliance quality (50/ n   | 10-25%     |
|---|--|------------|
| Reg.nr.: 01-2119475514-35                         | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane  | 10-25%     |
|   | ♦ Flam. Liq. 2, H225; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; STOT SE 3, H336 |            |
| EC number: 918-481-9                              | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2%  | 10-25%     |
| Reg.nr.: 01-2119457273-39                         | aromatics Asp. Tox. 1, H304  |            |
| EC number: 927-241-2<br>Reg.nr.: 01-2119471843-32 | Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics   | 10-25%     |
| Reg.m 01-2119471043-32                            | ♠ Flam. Liq. 3, H226; ♠ Asp. Tox. 1, H304; ♠ STOT SE 3, H336; Aquatic Chronic 3, H412                        |            |
| CAS: 74-98-6                                      | propane  | 10-25%     |
| EINECS: 200-827-9<br>Reg.nr.: 01-21194869440-21   | (b) Flam. Gas 1, H220; Press. Gas C, H280  |            |
| CAS: 106-97-8                                     | butane   | 10-25%     |
| EINECS: 203-448-7<br>Reg.nr.: 01-2119474691-31    | ♦ Flam. Gas 1, H220; Press. Gas C, H280  |            |
| CAS: 75-28-5                                      | isobutane  | 2.5-<10%   |
| EINECS: 200-857-2<br>Reg.nr.: 01-2119485395-27    | (b) Flam. Gas 1, H220; Press. Gas C, H280  |            |
| CAS: 64742-48-9                                   | Naphtha (petroleum), hydrotreated heavy, benzene content <   | 2.5-<10%   |
| EINECS: 265-150-3                                 | 0,1% Flam. Liq. 3, H226; Asp. Tox. 1, H304   |            |
| CAS: 61789-86-4                                   | Sulfonic acids, petroleum, calcium salts   | ≥0.1-<2.5% |
| EINECS: 263-093-9                                 | ♦ Skin Sens. 1B, H317  |            |
| CAS: 3010-23-9                                    | 1-aminoethyl-2-heptadecenyl imidazolin   | ≥0.25-<1%  |
|   | Skin Corr. 1B, H314; Eye Dam. 1, H318; 🍫 Aquatic Acute 1, H400; Aquatic Chronic 1, H410                      |            |

according to 1907/2006/EC, Article 31



Revision: 07.09.2018

Printing date 07.09.2018

Version number 12

Trade name: 4CR 5300 Hohlraumkonservierung Spray

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek immediate medical advice.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.
- · Information for doctor:

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

4<sub>CR</sub>

Revision: 07.09.2018

Printing date 07.09.2018

Version number 12

#### Trade name: 4CR 5300 Hohlraumkonservierung Spray

(Contd. of page 3)

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

- · Storage class: 2 B
- $\cdot$  7.3 *Specific end use*(s) *No further relevant information available.*

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### 106-97-8 butane

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 12 Revision: 07.09.2018

Printing date 07.09.2018

Trade name: 4CR 5300 Hohlraumkonservierung Spray

(Contd. of page 4)

 $\cdot \textit{Breakthrough time of glove material}$ 

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

| SECTION 9: Physical and chemic           | an properties   |
|--|---|
| 9.1 Information on basic physical and ch | nemical properties  |
| General Information                      |   |
| Appearance:                              |   |
| Form:                                    | Aerosol   |
| Colour:                                  | According to product specification  |
| Odour:                                   | Characteristic  |
| Odour threshold:                         | Not determined.   |
| pH-value:                                | Not determined.   |
| Change in condition                      |   |
| Melting point/freezing point:            | Undetermined.   |
| Initial boiling point and boiling range: | -44°C   |
| Flash point:                             | <0°C (DIN 53213)  |
| Flammability (solid, gas):               | Not applicable.   |
| Ignition temperature:                    | 365°C (DIN 51794)   |
| Decomposition temperature:               | Not determined.   |
| Auto-ignition temperature:               | Product is not selfigniting.  |
| Explosive properties:                    | Product is not explosive. However, formation of explosive a vapour mixtures are possible. |
| Explosion limits:                        |   |
| Lower:                                   | 1.5 Vol %   |
| Upper:                                   | 10.9 Vol %  |
| Vapour pressure at 20°C:                 | 8,300 hPa   |
| Density at 20°C:                         | 0.714 g/cm³ (DIN 53217)   |
| Relative density                         | Not determined.   |
| Vapour density                           | Not determined.   |
| Evaporation rate                         | Not applicable.   |
| Solubility in / Miscibility with         |   |
| water:                                   | Not miscible or difficult to mix.   |
| Partition coefficient: n-octanol/water:  | Not determined.   |
| Viscosity:                               |   |
| Dynamic:                                 | Not determined.   |
| Kinematic:                               | Not determined.   |
| Solvent content:                         |   |
| VOC (EC)                                 | 84.40 %   |
| Solids content (weight-%):               | 15.6 %  |

(Contd. on page 6)

according to 1907/2006/EC, Article 31

4<sub>CR</sub>

Revision: 07.09.2018

Printing date 07.09.2018

Version number 12

Trade name: 4CR 5300 Hohlraumkonservierung Spray

(Contd. of page 5)

· 9.2 Other information

No further relevant information available.

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

\*

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

\*

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

GB ·

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 12 Revision: 07.09.2018

Trade name: 4CR 5300 Hohlraumkonservierung Spray

(Contd. of page 6)

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Printing date 07.09.2018

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| · European waste catalogue |   |  |
|----------------------------|---|--|
| 08 01 11*                  | waste paint and varnish containing organic solvents or other hazardous substances |  |
| 14 06 03*                  | other solvents and solvent mixtures   |  |
| 15 01 04                   | metallic packaging  |  |

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 1/177777                          |   |
|-----------------------------------|---|
| 14.1 UN-Number<br>ADR, IMDG, IATA | UN1950  |
|                                   | 0111730   |
| 14.2 UN proper shipping name      | UNIOSO AEDOCOLO                                     |
| ADR<br>IMDG                       | UN1950 AEROSOLS<br>AEROSOLS                         |
| · IMDG<br>· IATA                  | AEROSOLS<br>AEROSOLS, flammable                     |
| 14.3 Transport hazard class(es)   | 11211020225, Junimilia                              |
| ADR                               |   |
| ADK                               |   |
|                                   |   |
|                                   |   |
| 2                                 |   |
| Class                             | 2 5F Gases.   |
| Label                             | 2.1   |
| · IMDG, IATA                      |   |
| 2                                 |   |
| Class                             | 2.1   |
| Label                             | 2.1   |
| 14.4 Packing group                |   |
| ADR, IMDG, IATA                   | Void  |
| 14.5 Environmental hazards:       |   |
| Marine pollutant:                 | Yes   |
| 14.6 Special precautions for user | Warning: Gases.                                     |
| Danger code (Kemler):             | -<br>-  |
| EMS Number:                       | $F	ext{-}D,S	ext{-}U$                               |
| Stowage Code                      | SW1 Protected from sources of heat.                 |
|                                   | SW22 For AEROSOLS with a maximum capacity of 1 l    |
|                                   | Category A. For AEROSOLS with a capacity above 1 is |
|                                   | Category B. For WASTE AEROSOLS: Category C, C       |
|                                   | of living quarters.                                 |
| Segregation Code                  | SG69 For AEROSOLS with a maximum capacity of 1 l    |

according to 1907/2006/EC, Article 31

4cR

Revision: 07.09.2018

Printing date 07.09.2018

Version number 12

Trade name: 4CR 5300 Hohlraumkonservierung Spray

|   | (Contd. of page 7)   |
|---|--|
|   | except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. |
| · 14.7 Transport in bulk according to Ann | · · · · · · · · · · · · · · · · · · ·  |
| Marpol and the IBC Code                   | Not applicable.  |
| · Transport/Additional information:       |  |
| · <i>ADR</i>                              |  |
| · Transport category                      | 2  |
| · Tunnel restriction code                 | D  |
| ·IMDG                                     |  |
| · Limited quantities (LQ)                 | 1L   |
| · UN ''Model Regulation'':                | UN 1950 AEROSOLS, 2.1  |

#### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:

| Class | Share in % |
|-------|------------|
| NK    | 50-100     |

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 9)

Printing date 07.09.2018

## **Safety data sheet** according to 1907/2006/EC, Article 31

Version number 12



Revision: 07.09.2018

Trade name: 4CR 5300 Hohlraumkonservierung Spray

(Contd. of page 8)

#### · Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1: Flammable gases - Category 1

Aerosol 1: Aerosols – Category 1

Press. Gas C: Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* \* Data compared to the previous version altered.